

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	577	(712/207).CQLS	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 18:15
L2	327	(712/237).CQLS	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 18:15
L3	244	(712/238).CQLS	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/13 18:15
L4	25	(target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (speculat\$6 or predict\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:16
L5	28	((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3))	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:16
L6	14	(stream with buffer\$3) same (code with region\$1)	US-PGPUB; USPAT	OR	OFF	2008/11/13 18:16
L7	0	(branch near4 buffer\$3) with (map\$3 near4 (region \$1 or block\$1) near4 entr \$3)	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:17
L8	0	(branch near4 buffer\$3) with (map\$3 with (region\$1 or block\$1) with entr\$3)	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:17
L9	0	(branch with buffer\$3) with (map\$3 with (region\$1 or block\$1) with entr\$3)	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:17
L10	0	(branch with buffer\$3) same (map\$3 with (region\$1 or block\$1) with entr\$3)	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:17
L11	0	(branch with buffer\$3) same (map\$3 same (region\$1 or block\$1) with entr\$3)	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:17
L12	2	(branch near4 buffer\$3) with (map\$3 near4 (region \$1 or block\$1) near4 entr \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:17

L13	2	(branch near4 buffer\$3) with (map\$3 with (region\$1 or block\$1) with entr\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:18
L14	2	(branch with buffer\$3) with (map\$3 with (region\$1 or block\$1) with entr\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:18
L15	2	(branch with buffer\$3) same (map\$3 with (region\$1 or block\$1) with entr\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:18
L16	11	(branch with buffer\$3) same (map\$3 same (region\$1 or block\$1) same entr\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:18
L17	2	((branch with buffer\$3) same (map\$3 same (region \$1 or block\$1) same entr \$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:19
L18	2	((branch with buffer\$3) and (map\$3 same (region\$1 or block\$1) same entr\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:19
L19	3	((branch with target) and (map\$3 same (region\$1 or block\$1) same entr\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:20
L20	3	((branch same target) and (map\$3 same (region\$1 or block\$1) same entr\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:20

L21	23	((branch same target) and ((map\$5 or associat\$6 or referenc\$6) same (region\$1 or block\$1) same entr\$3)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:20
L22	12	((branch same target) same ((map\$5 or associat\$6 or referenc\$6) same (region\$1 or block\$1) same entr\$3)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:21
L23	2	((WANG-HONG\$) and (KLING-RALPH\$) and (GROCHOWSKI-EDWARD\$) and (RAMAKRISHNAN-KALPANAS\$)).in. "	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/11/13 18:22
S1	38	(branch adj1 target adj1 buffer) and (branch adj1 predictor)	USPAT	OR	OFF	2006/11/14 14:37
S2	19	(US-5506976-\$ or US-5442756-\$ or US-5434986-\$ or US-5386519-\$ or US-5327536-\$ or US-5163140-\$ or US-6253316-\$ or US-5931944-\$ or US-5721855-\$ or US-5842008-\$ or US-5764940-\$ or US-5742804-\$ or US-5692168-\$ or US-5642493-\$ or US-5592636-\$ or US-5287467-\$ or US-5142634-\$ or US-5136697-\$ or US-5050068-\$).did.	USPAT	OR	OFF	2002/10/29 09:07
S3	0	(color adj1 field) near4 branch\$4	USPAT	OR	OFF	2002/10/29 09:08
S4	1	(color adj1 information) near4 branch\$4	USPAT	OR	OFF	2002/10/29 09:08
S5	0	color near4 (branch\$4 adj1 predict\$4)	USPAT	OR	OFF	2002/10/29 09:09
S6	910	color near4 branch\$4	USPAT	OR	OFF	2002/10/29 09:09
S7	375	color near4 tag	USPAT	OR	OFF	2002/10/29 09:10
S8	0	(color adj1 tag) near4 branch\$4	USPAT	OR	OFF	2002/10/29 09:10
S9	11	(color adj1 tag) and branch\$4	USPAT	OR	OFF	2002/10/29 09:11
S10	57	(color) and (branch\$4 near4 cache)	USPAT	OR	OFF	2002/10/29 09:12

S11	2	(color\$4 adj1 field) near4 instructions	USPAT	OR	OFF	2002/10/29 09:26
S12	1	("5506976").PN.	USPAT; USOCR	OR	OFF	2002/10/29 09:39
S13	1	("5515518").PN.	USPAT; USOCR	OR	OFF	2002/10/29 09:43
S14	1	("5742804").PN.	USPAT; USOCR	OR	OFF	2002/10/29 09:46
S15	1	("5764940").PN.	USPAT; USOCR	OR	OFF	2002/10/29 09:47
S16	6	((("5506976") or ("5742804") or ("5515518") or ("5412799") or ("5764940") or ("5163140")).PN.	USPAT; USOCR	OR	OFF	2002/10/29 12:40
S17	132	(712/238).CQLS.	USPAT; USOCR	OR	OFF	2007/08/20 07:32
S18	183	(712/237).CQLS.	USPAT; USOCR	OR	OFF	2007/08/20 07:32
S19	293	(712/207).CQLS.	USPAT; USOCR	OR	OFF	2007/08/20 07:32
S20	5	(MEONSKETONIA)".xa"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/10/31 09:31
S21	2	((("6601162") or ("6526503") or ("6651162")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 08:57
S22	6	(US-5515518-\$ or US-5412799-\$ or US-5742804-\$ or US-5764940-\$ or US-5506976-\$ or US-5163140-\$).did.	USPAT	OR	OFF	2003/11/14 08:56
S23	12	prefetch near4 (block adj1 instruction\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 08:57
S24	11	prefetch same (block adj1 instruction\$1) same table\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 09:04
S25	1	("4,679,141").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 09:06

S26	0	(target adj1 lookahead) near4 (map\$4 or relat\$3 or correlat\$3 or translat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 09:07
S27	0	(target adj1 lookahead) same (map\$4 or relat\$3 or correlat\$3 or translat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 09:07
S28	2	(target near4 lookahead) same (map\$4 or relat\$3 or correlat\$3 or translat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 09:10
S29	4301	(entry near4 point) same (map\$4 or relat\$3 or correlat \$3 or translat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 09:38
S30	969	(entry adj1 points) same (map\$4 or relat\$3 or correlat \$3 or translat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 09:39
S31	201	(entry adj1 points) near4 (map\$4 or relat\$3 or correlat \$3 or translat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/11/14 11:52
S32	74	((712/238).CQLS) and @pd> = "20000306"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/12/04 11:45
S33	110	((712/237).CQLS) and @pd> = "20000306"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/12/04 12:24
S34	157	((712/207).CQLS) and @pd> = "20000306"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/12/04 12:24
S35	59	((712/238).CQLS) and @pd> = "20000306"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/12/04 12:25
S36	99	((712/237).CQLS) and @pd> = "20000306"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/12/04 12:25
S37	129	((712/207).CQLS) and @pd> = "20000306"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2003/12/04 12:25
S38	83	((712/238).CQLS) and @pd> = "20000306"	USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/09 16:33

S39	165	((712/237) CQLS) and @pd> = "20000306"	USPAT, EPO, JPO, IBM_TDB	OR	OFF	2006/11/09 16:33
S40	238	((712/207) CQLS) and @pd> = "20000306"	USPAT, EPO, JPO, IBM_TDB	OR	OFF	2006/11/09 16:33
S41	2	(presbyopic near4 buffer) with entr\$3 with target\$5 near4 address\$3	US-PGPUB; USPAT, EPO, JPO, IBM_TDB	OR	OFF	2006/11/09 16:35
S42	250	buffer with entr\$3 with target\$5 with address\$3	US-PGPUB; USPAT; EPO; JPO, IBM_TDB	OR	OFF	2006/11/09 16:40
S43	101	(target near4 buffer) with (entr\$3 near4 address\$3)	US-PGPUB; USPAT; EPO; JPO, IBM_TDB	OR	OFF	2006/11/09 16:41
S44	70	(target near4 buffer) near4 (entr\$3 near4 address\$3)	US-PGPUB; USPAT; EPO; JPO, IBM_TDB	OR	OFF	2006/11/13 13:56
S45	53	(target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3	US-PGPUB; USPAT; EPO; JPO, IBM_TDB	OR	OFF	2006/11/13 13:57
S46	21	(target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (speculat\$6 or predict\$3)	US-PGPUB; USPAT; EPO; JPO, IBM_TDB	OR	OFF	2006/11/13 13:57
S47	0	(target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (presbyopic)	US-PGPUB; USPAT; EPO; JPO, IBM_TDB	OR	OFF	2006/11/13 13:50
S48	2	(target near4 buffer) near4 (presbyopic)	US-PGPUB; USPAT; EPO; JPO, IBM_TDB	OR	OFF	2006/11/13 13:56
S49	2	(Hong and Ralph and Grochowski and Ramakrishnan) in.	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	OFF	2006/11/13 13:52
S50	4	(Hong and Ralph and Grochowski) in.	US-PGPUB; USPAT, EPO; JPO, IBM_TDB	OR	OFF	2006/11/13 13:52
S51	13	(Hong and Grochowski) in.	US-PGPUB; USPAT, EPO, JPO, IBM_TDB	OR	OFF	2006/11/13 13:52

S52	0	stream near4 buffer\$3 near4 (code adj1 region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 13:53
S53	2	(stream near4 buffer\$3) with (code adj1 region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 13:54
S54	2	(stream near4 buffer\$3) with (code near4 region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 13:54
S55	2	(stream with buffer\$3) with (code near4 region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 13:54
S56	9	(stream with buffer\$3) with (code with region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 13:56
S57	13	(stream with buffer\$3) same (code with region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 13:59
S59	0	((stream with buffer\$3) with (code with region\$1)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 13:56
S60	70	(target near4 buffer) near4 (entr\$3 near4 address\$3)	US-PGPUB; USPAT	OR	OFF	2006/11/13 13:56
S61	53	((target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3)	US-PGPUB; USPAT	OR	OFF	2006/11/13 13:57
S62	21	((target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (speculat\$6 or predict\$3))	US-PGPUB; USPAT	OR	OFF	2006/11/13 13:57
S63	5	((target with buffer) with (entr\$3 with address\$3) with branch\$3 with (speculat \$6 or predict\$3))	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 13:58
S64	28	((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3))	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 13:59
S65	12	(stream with buffer\$3) same (code with region\$1)	US-PGPUB; USPAT	OR	OFF	2006/11/13 13:59
S66	1	(stream with buffer\$3) same (code with region\$1)	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 14:00

S67	6	(stream same buffer\$3) same (code same region\$1)	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2006/11/13 14:00
S68	1	("6732260").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/14 11:56
S69	1	("5,506,976").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/14 14:37
S70	2	((target near4 buffer) near4 (presbyopic)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/14 14:48
S71	524	(712/207).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/20 07:32
S72	308	(712/237).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/20 07:32
S73	214	(712/238).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/20 07:32
S74	9	(stream with buffer\$3) with (code with region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/08/20 07:32
S75	14	(stream with buffer\$3) same (code with region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/08/20 07:32
S76	28	((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3))	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/08/20 07:33
S77	384	((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2007/08/20 07:33
S78	546	(712/207).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/28 13:20
S79	317	(712/237).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/28 13:20

S80	232	(712/238).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/28 13:21
S81	9	(stream with buffer\$3) with (code with region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/04/28 13:21
S82	14	(stream with buffer\$3) same (code with region\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/04/28 13:21
S83	28	((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3))	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/04/28 13:21
S84	22	(target near4 buffer) near4 (entr\$3 near4 address\$3) near4 branch\$3 near4 (speculat\$6 or predict\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/04/28 13:21
S85	28	((target same buffer) same (entr\$3 same address\$3) same branch\$3 same (speculat\$6 or predict\$3))	FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/04/28 13:22
S86	13	(stream with buffer\$3) same (code with region\$1)	US-PGPUB; USPAT	OR	OFF	2008/04/28 13:22

11/13/08 6:27:11 PM

C:\Documents and Settings\ALI\My Documents\EAST\Workspaces\10817263.wsp